

# Impact-Rated Products

**THERMA TRU**  
DOORS



Tough when you need it. Beautiful always.





Therma-Tru offers Impact-rated doors and glass that can be used to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.

**Step 1: Use the map as a guide to find out if you need product for WBDR or HVHZ.**

Always confirm building code requirements in your area before buying.\*

**Step 2: Use the icons to find available Therma-Tru® product options in this brochure.**



Designed to withstand wind forces up to 175 mph (DP-55). (TAS 201 / TAS 203)

**WBDR / HVHZ Option:** Look for this icon to find door and sidelite styles that can be configured for WBDR or HVHZ.

**Step 3: Verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.\***

**Step 4: Make sure the product is installed in compliance with the product approval to meet building codes.**


The performance of your door system depends on how it is installed. Proper installation is required to comply with building codes.

Cover: Fiber-Classic Oak Collection, Salinas Glass, Door – FC817, Sidelite – FC81919SL, Finish – Barley

\*Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed.

Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Constructed to help protect the interior of the home from flying debris and high winds associated with tropical storms and hurricanes, these products are tested to meet codes and regulations in coastal regions, including parts of Florida, Texas and the Carolinas.\*



### Impact Doors

Feature a built-in 24-gauge steel plate lining.

### Impact Glass

Features special laminated glass construction.



### Impact-Rated Internal Blinds

Features laminated glass construction and a durable, paintable aluminum lite frame with a flat profile aesthetic cover for a simple look.



### Impact Lip-Lite Frame

Features durable, paintable aluminum construction. An attractive scrolled profile gives a thin, sleek appearance and a screw channel cover helps hide unsightly screws.



### Available Glass Shapes



\*Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed. Note: See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

# CLASSIC CRAFT®

Curated collections inspired by style.

Classic Craft celebrates the best of design for homes with uncompromising style. Three expertly curated collections draw inspiration from the latest trends and bring your home design vision to life with unrivaled beauty, luxe craftsmanship and an attention to detail you won't find anywhere else.


## Artissa Collection

Casual | Relaxed | Simple



## Founders Collection

Traditional | Time-Honored | Decorative



## Visionary Collection

Modern | Confident | Minimal



# True-to-Wood Origins

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain. technology.

AccuGrain.  
TECHNOLOGY

## Fir Grain

Formerly Classic-Craft American Style

Designed to echo the grain of the largest species of American Hemlocks – the Western Hemlock tree – found in lush coastal rainforests of the Pacific Northwest.

## Walnut Grain

Crafted to reflect the prized hardwood of the mighty Black Walnut trees, these doors feature a horizontal grain with natural movement accented by delicate arches and cathedrals.

## Mahogany Grain

Formerly Classic-Craft Mahogany & Rustic

Derived from the finest African and Honduran Mahogany in mind, blending rustic influences with exotic roots to build upon the rich history of one of the most renowned woods in the world.

## Oak Grain

Designed to emulate the unique characteristics of Red Oak trees, embodying the look and feel of one of the most popular wood grains of all time.

## Canvas

Inspired by the world's most exquisite masterpieces and designed with the architectural character of finely sanded wood.

# Classic Craft® Artissa



CCA1125  
3'0" x 6'8"



CCA1149  
3'0" x 6'8"



CCA1147  
3'0" x 6'8"



CCA1166  
3'0" x 6'8"



CCA1158  
3'0" x 6'8"



CCA1127  
3'0" x 6'8"



CCA4905  
3'0" x 6'8"



CCA4915L  
3'0" x 6'8"



CCA4915R  
3'0" x 6'8"



CCA4925L  
3'0" x 6'8"



CCA4925R  
3'0" x 6'8"



CCA4935  
3'0" x 6'8"



CCA4945  
3'0" x 6'8"



CCA81125 E  
3'0" x 8'0"



CCA81149 E  
3'0" x 8'0"



CCA81147 E  
3'0" x 8'0"



CCA81166 E  
3'0" x 8'0"



CCA81158 E  
3'0" x 8'0"



CCA81127 E  
3'0" x 8'0"



CCA84905 E  
3'0" x 8'0"



CCA84915L E  
3'0" x 8'0"



CCA84915R E  
3'0" x 8'0"



CCA84925L E  
3'0" x 8'0"



CCA84925R E  
3'0" x 8'0"



CCA84935 E  
3'0" x 8'0"



CCA84945 E  
3'0" x 8'0"



CCM890  
3'0" x 8'0"



CC91  
3'0" x 6'8"



CCV200  
3'0" x 6'8"

## Key

WBDR / HVHZ Option

WBDR Option

Elevated 10" Bottom Rail Options

Please verify that there is a Therma-Tru product approval specific to your area for the configuration you want before buying.

# Classic Craft® Founders



CCR040R  
3'0" x 6'8"



CCR040  
3'0" x 6'8"



CCR205  
3'0" x 6'8"



CCV205  
3'0" x 6'8"



CCR200  
3'0" x 6'8"



CCV220  
3'0" x 6'8"



CCM60  
3'0" x 6'8"



CC60  
2'8" x 6'8"  
3'0" x 6'8"



CCV060  
3'0" x 6'8"



CCM701  
3'0" x 6'8"



CCV050  
3'0" x 6'8"



CCR8040R  
3'0" x 8'0"  
3'6" x 8'0"



CCR8225R  
3'0" x 8'0"  
3'6" x 8'0"



CCR8225  
3'0" x 8'0"  
3'6" x 8'0"



CCR8005  
3'0" x 8'0"



CCR8040  
3'0" x 8'0"  
3'6" x 8'0"



CCR8205  
3'0" x 8'0"  
3'6" x 8'0"



CCV8205  
3'0" x 8'0"



CCR8200  
3'0" x 8'0"



CCV8220  
3'0" x 8'0"



CC831  
3'0" x 8'0"



CCV831  
3'0" x 8'0"



CC860  
3'6" x 8'0"

# Classic Craft® Visionary



CCA1100  
3'0" x 6'8"



CCA1133  
3'0" x 6'8"



CCA1145  
3'0" x 6'8"



CCA1150  
3'0" x 6'8"



CCA81100 E  
3'0" x 8'0"



CCA81133 E  
3'0" x 8'0"



CCA81145 E  
3'0" x 8'0"



CCA81150 E  
3'0" x 8'0"

Note: Additional structural fiberglass door styles and sizes also available for WBDR only. Please verify that there is a Therma-Tru product approval specific to your area for the configuration you want before buying.

## Key



WBDR / HVHZ Option



WBDR Option




Elevated 10" Bottom Rail Options

# Classic Craft® Visionary



**CCW1000 E**  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
 3'6" x 6'8" (7'0")



**CCW900L**  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
 3'6" x 6'8" (7'0")




**CCW900R**  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
 3'6" x 6'8" (7'0")




**CCW901L**  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
 3'6" x 6'8" (7'0")



**CCW901R**  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
 3'6" x 6'8" (7'0")



**CCW902L**  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
 3'6" x 6'8" (7'0")



**CCW902R**  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
 3'6" x 6'8" (7'0")



**CCW903**  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
 3'6" x 6'8" (7'0")



**CCW904L**  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
 3'6" x 6'8" (7'0")



**CCW904R**  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
 3'6" x 6'8" (7'0")



**CCW905 E**  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
 3'6" x 6'8" (7'0")



**CCW906L**  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
 3'6" x 6'8" (7'0")




**CCW906R**  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
 3'6" x 6'8" (7'0")



**CCW907L**  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
 3'6" x 6'8" (7'0")




**CCW907R**  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
 3'6" x 6'8" (7'0")




**CCW81000 E**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"



**CCW8900L**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"



**CCW8900R**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"



**CCW8901L**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"



**CCW8901R**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"




**CCW8902L**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"



**CCW8902R**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"




**CCW8903**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"



**CCW8904L**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"



**CCW8904R**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"



**CCW8905 E**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"



**CCW8906L**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"



**CCW8906R**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"



**CCW8907L**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"



**CCW8907R**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"

Note: Additional structural fiberglass door styles and sizes also available for WBDR only. Please verify that there is a Therma-Tru product approval specific to your area for the configuration you want before buying.

## Key


WBDR Option

Elevated 10" Bottom Rail Options



# Fiber-Classic® & Smooth-Star®

Fiber-Classic and Smooth-Star doors rated for HVHZ feature composite edge stiles.



## Fiber-Classic® Mahogany Collection™

Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance.



## Fiber-Classic® Oak Collection™

Fiber-Classic Oak is the door that started the fiberglass revolution and features the warm look and feel of natural Oak graining.



## Smooth-Star®

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.

# Decorative Glass



Black Nickel  
Brushed Nickel  
**Blackstone**<sup>®</sup>  
Glass Privacy Rating: **7**




Black Nickel  
Brushed Nickel  
**Crystalline**<sup>™</sup>  
Glass Privacy Rating: **7**



Wrought Iron  
**Salinas**<sup>®</sup>  
Glass Privacy Rating: **10**



Black Nickel  
Brushed Nickel  
**Maple Park**<sup>®</sup>  
Glass Privacy Rating: **6**



Black Nickel  
**Avonlea**<sup>®</sup>  
Glass Privacy Rating: **4**



Black Nickel  
Brushed Nickel  
**Saratoga**<sup>™</sup>  
Glass Privacy Rating: **7**



Black Nickel  
Brushed Nickel  
**Texas Star**  
Glass Privacy Rating: **5**



Black Nickel  
Brass  
**Wellesley**<sup>™</sup>  
Glass Privacy Rating: **6**



Wrought Iron  
**Riserva**<sup>®</sup>  
Glass Privacy Rating: **10**




Black Nickel  
Brass  
**Concorde**<sup>™</sup>  
Glass Privacy Rating: **8**



Black Nickel  
Brushed Nickel  
**Kensington**<sup>™</sup>  
Glass Privacy Rating: **8**



Black Nickel  
Brushed Nickel  
**Pembrige**<sup>™</sup>  
Glass Privacy Rating: **7**



Black Nickel  
**Axis**<sup>®</sup>  
Glass Privacy Rating: **7**




**Frosted Images**<sup>®</sup>  
Glass Privacy Rating: **8**



**Internal Blinds**

Also Available:  
Screen Vented, Clear Glass, Solid Panel

## Privacy & Textured Glass



**Reeded (XK)**  
Glass Privacy Rating: **7**



**Geometric (XG)**  
Glass Privacy Rating: **7**



**Satin Etch (XE)**  
Glass Privacy Rating: **10**



**Chord (XC)**  
Glass Privacy Rating: **10**



**Chinchilla (XJ)**  
Glass Privacy Rating: **10**




**Rainglass (XR)**  
Glass Privacy Rating: **8**



**Granite (XN)**  
Glass Privacy Rating: **10**

## Flat Bar GBG Options



Black



White

# Full Lites

## Blackstone. ♦❏



FCM108 **M**  
Also available:  
FC108 **O**  
S6002 **S**



FCM871 **M**  
Also available:  
81918P **O**  
S85892 **S**



FCM310 **M**  
**E**  
Also available:  
FC310 **O** **E**  
S310 **S** **E**



FCM816 **M** **E**  
Also available:  
FC816 **O** **E**  
S816 **S** **E**



FC108SL **O**  
Also available:  
S6002SL **S**



FCM871SL **M**  
Also available:  
81918PSL **O**  
S85892SL **S**



FCM808SL **M** **E**  
Also available:  
FC808SL **O** **E**  
S4570SL **S** **E**




FCM81918SL **M** **E**  
Also available:  
81918SL **O** **E**  
S85927SL **S** **E**

## Crystalline™ ♦❏




FCM16 **M**  
Also available:  
FC16 **O**  
S916 **S** **E**



FCM8114 **M**  
Also available:  
81800P **O**  
S814 **S**



FCM668 **M**  
**E**  
Also available:  
FC668 **O** **E**  
S668 **S** **E**



FCM814 **M** **E**  
Also available:  
FC814 **O** **E**  
S815 **S** **E**



FC46SL **O**  
Also available:  
S916SL **S**



FCM8114SL **M**  
Also available:  
81800PSL **O**  
S814SL **S**



FCM18101SL **M** **E**  
Also available:  
18101SL **O** **E**  
S6130SL **S** **E**



FCM81800SL **M** **E**  
Also available:  
81800SL **O** **E**  
S84586SL **S** **E**

## Salinas. ✕



FCM113 **M**  
Also available:  
FC113 **O** **E**  
S6008 **S**



FCM873 **M**  
Also available:  
81919P **O**  
S85893 **S**



FCM369 **M**  
**E**  
Also available:  
FC369 **O** **E**  
S369 **S** **E**



FCM817 **M** **E**  
Also available:  
FC817 **O** **E**  
S817 **S** **E**



FC113SL **O**  
Also available:  
S6008SL **S**



FCM873SL **M**  
Also available:  
81919PSL **O**  
S85893SL **S**



FCM814SL **M** **E**  
Also available:  
FC814SL **O** **E**  
S6134SL **S** **E**



FCM81919SL **M** **E**  
Also available:  
81919SL **O** **E**  
S85931SL **S** **E**

### Available Door Selections

- M** Fiber-Classic Mahogany
- O** Fiber-Classic Oak
- S** Smooth-Star

### Key

- E** No Stile Lines
- ♦** Black Nickel Caming (1D)
- ❏** Brushed Nickel Caming (1C)
- ✕** Wrought Iron (1W)
- E** Elevated 10" Bottom Rail Options
- 9** WBDR Option
- 9** WBDR / HVHZ Option
- ♦** Brass Caming (1A)

Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 3 with available sizes. Please verify that there is a Thermo-Tru product approval specific to your area for the door system configuration before buying.

# Full Lites

## Maple Park



FCM900   
Also available:  
FC900    
S6100  



FCM1006     
Also available:  
FC1006    
S1006  





FC900SL   
Also available:  
S6100SL 




FCM812SL    
Also available:  
FC812SL   
S6131SL  

## Avonlea



FCM758   
Also available:  
FC758    
S962  






FCM1027    
Also available:  
FC1027     
S1027  



FC758SL   
Also available:  
S962SL 



FCM807SL   
Also available:  
FC807SL    
S6127SL  

## Saratoga





FCM905   
Also available:  
FC905    
S154  



FCM6093    
Also available:  
FC6093     
S6093  



FC905SL   
Also available:  
S154SL 










FCM815SL    
Also available:  
FC815SL   
S602SL  



FCM893SL   
Also available:  
81986PSL   
S8602SL 



FCM81986SL    
Also available:  
81986SL     
S85932SL  

## Wellesley



FCM104   
Also available:  
FC104    
S155  



FCM874   
Also available:  
81921P    
S85896 





FCM6094    
Also available:  
FC6094     
S6094  



FCM821    
Also available:  
FC821   
S821 



FC104SL   
Also available:  
S155SL 



FCM874SL   
Also available:  
81921PSL   
S85896SL 



FCM818SL    
Also available:  
FC818SL   
S5870SL  






FCM81921SL    
Also available:  
81921SL    
S85934SL  

## Riserva



FCM574   
Also available:  
FC574    
S574  



FCM8574   
Also available:  
FC8574   
S8574 





FCM571    
Also available:  
FC571     
S571  



FCM8571    
Also available:  
FC8571    
S8571  

### Available Door Selections

-  Fiber-Classic Mahogany
-  Fiber-Classic Oak
-  Smooth-Star


### Key

-  No Stile Lines
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Brass Caming (1A)
-  Wrought Iron (1W)
-  Elevated 10" Bottom Rail Options
-  WBDR Option
-  WBDR / HVHZ Option

Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 3 with available sizes. Please verify that there is a Thermo-Tru product approval specific to your area for the door system configuration before buying.

# Full Lites *Continued*

## Riserva® *X continued*




- FC573SL M  
Also available:  
S573SL S
- FCM8573SL M  
Also available:  
FC8573SL O  
S8573SL S
- FCM572SL M E  
Also available:  
FC572SL O E  
S572SL S E
- FCM8572SL M E  
Also available:  
FC8572SL O E  
S8572SL S E

## Concorde™ ◆ ■ ■



- FCM910 M  
Also available:  
FC910 O E  
S6090 S E
- FCM890 M  
Also available:  
81928P O  
S85895 S
- FCM6095 M  
E  
Also available:  
FC6095 O E  
S6095 S E
- FCM820 M E  
Also available:  
FC820 O E  
S820 S E
- FC910SL O  
Also available:  
S416SL S

## Kensington™ ◆ ■ ■



- FCM890SL M  
Also available:  
81928PSL O  
S85895SL S
- FCM809SL M E  
Also available:  
FC809SL O E  
S4070SL S E
- FCM81928SL M E  
Also available:  
81928SL O E  
S85930SL S E
- FCM148 M  
Also available:  
FC148 O E  
S160 S E
- FCM626 M  
E  
Also available:  
FC626 O E  
S626 S E
- FC148SL O  
Also available:  
S160SL S
- FCM813SL M E  
Also available:  
FC813SL O E  
S6132SL S E

## Pembridge™ ◆ ■ ■



- FCM6550 M  
Also available:  
FC6550 O E  
S6550 S E
- FCM86550 M  
Also available:  
FC86550 O  
S86550 S
- FCM6500 M  
E  
Also available:  
FC6500 O E  
S6500 S E
- FCM86500 M E  
Also available:  
FC86500 O E  
S86500 S E
- FC6550SL O  
Also available:  
S6550SL S
- FCM86550SL M  
Also available:  
FC86550SL O  
S86550SL S
- FCM6500SL M E  
Also available:  
FC6500SL O E  
S6500SL S E
- FCM86500SL M E  
Also available:  
FC86500SL O E  
S86500SL S E

### Available Door Selections

- M Fiber-Classic Mahogany
- O Fiber-Classic Oak
- S Smooth-Star

### Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)

- X Wrought Iron (1W)
- E Elevated 10" Bottom Rail Options
- 6 WBDR Option
- 6 WBDR / HVHZ Option


### Privacy & Textured Glass Options

- XK = Reeded
- XG = Geometric
- XE = Satin Etch
- XC = Chord
- XJ = Chinchilla
- XR = Rainglass
- XN = Granite

Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 3 with available sizes. Please verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.

# Full Lites *Continued*

## Axis. ♦



**FCM1652** M  
 Also available: **FC1652** O **E** **S1652** S **E**

**FCM81652** M  
 Also available: **FC81652** O **S81652** S

**FCM1651** M ■ **E**  
 Also available: **FC1651** O ■ **E** **S1651** S ■ **E**

**FCM81651** M ■ **E**  
 Also available: **FC81651** O ■ **E** **S81651** S ■ **E**


**FC1652SL** O  
 Also available: **S1652SL** S

**FCM81652SL** M ■ **E**  
 Also available: **FC81652SL** O ■ **E** **S81652SL** S ■ **E**

**FCM1651SL** M ■ **E**  
 Also available: **FC1651SL** O ■ **E** **S1651SL** S ■ **E**

**FCM81651SL** M ■ **E**  
 Also available: **FC81651SL** O ■ **E** **S81651SL** S ■ **E**


## Frosted Images.



**FC11SL** O  
 Also available: **S138SL** S

**FCM13101SL** M ■ **E**  
 Also available: **13101SL** O ■ **E** **S2070SL** S ■ **E**

## Privacy & Textured Glass



**FCM10\_** M  
 Also available: **FC10\_** O ■ **E** **S118\_** S ■ **E**

**FCM870\_** M  
 Also available: **81200P\_** O **S818\_** S

**FCM1283\_** M ■ **E**  
 Also available: **1283\_** O ■ **E** **S140\_** S ■ **E**

**FCM81200\_** M ■ **E**  
 Also available: **81200\_** O ■ **E** **S8140\_** S ■ **E**

**FC47\_SL** O  
 Also available: **S100\_SL** S

**FCM870\_SL** M ■ **E**  
 Also available: **81200P\_SL** O ■ **E** **S8601\_SL** S ■ **E**

**FCM12101\_SL** M ■ **E**  
 Also available: **12101\_SL** O ■ **E** **S601\_SL** S ■ **E**

## Internal Blinds



**FCM81200\_SL** M ■ **E**  
 Also available: **81200\_SL** O ■ **E** **S81086\_SL** S ■ **E**

**FCM141** M  
 Also available: **FC141** O ■ **E** **S130** S ■ **E**

**FCM8115** M  
 Also available: **81225P** O **S829** S

**FCM1286** M ■ **E**  
 Also available: **1286** O ■ **E** **S6061** S ■ **E**

**FCM81225** M ■ **E**  
 Also available: **81225** O ■ **E** **S81225** S ■ **E**

**FC141SL** O  
 Also available: **S130SL** S

**FCM8115SL** M ■ **E**  
 Also available: **81225PSL** O ■ **E** **S829SL** S ■ **E**

**FCM1286SL** M ■ **E**  
 Also available: **1286SL** O ■ **E** **S6128SL** S ■ **E**

**FCM81225SL** M ■ **E**  
 Also available: **81225SL** O ■ **E** **S85928SL** S ■ **E**

### Available Door Selections

- M **Fiber-Classic Mahogany**
- O **Fiber-Classic Oak**
- S **Smooth-Star**

### Key

- **No Stile Lines**
- ♦ **Black Nickel Caming (1D)**
- **Brushed Nickel Caming (1C)**
- ♦ **Brass Caming (1A)**

- X **Wrought Iron (1W)**
- E **Elevated 10" Bottom Rail Options**
- 6 **WBDR Option**
- 6 **WBDR / HVHZ Option**











### Privacy & Textured Glass Options









- XK = Reeded**
- XG = Geometric**
- XE = Satin Etch**
- XC = Chord**
- XJ = Chinchilla**
- XR = Rainglass**
- XN = Granite**

Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 3 with available sizes. Please verify that there is a Thermo-Tru product approval specific to your area for the door system configuration before buying.

# Full Lites *Continued*

## Clear Glass with Divided Lites

									
FCM138 <b>M</b> Also available: FC138 <b>O</b> <b>E</b> S128 <b>S</b> <b>◆</b> <b>E</b>	FCM1285 <b>M</b> <b>◆</b> <b>E</b> Also available: 1285 <b>O</b> <b>◆</b> <b>E</b> S141 <b>S</b> <b>◆</b> <b>E</b>	FCM1208 <b>M</b> <b>E</b> Also available: FC1208 <b>O</b> <b>E</b> S1208 <b>S</b> <b>◆</b> <b>E</b>	FCM1200 <b>M</b> <b>◆</b> <b>E</b> Also available: FC1200 <b>O</b> <b>◆</b> <b>E</b> S1200 <b>S</b> <b>◆</b> <b>E</b>	FCM18 <b>M</b> Also available: FC18 <b>O</b> <b>E</b> S108 <b>S</b> <b>◆</b> <b>E</b>	FCM1284 <b>M</b> <b>◆</b> <b>E</b> Also available: 1284 <b>O</b> <b>◆</b> <b>E</b> S6063 <b>S</b> <b>◆</b> <b>E</b>	FCM828 <b>M</b> Also available: FC828 <b>O</b> S828 <b>S</b> <b>◆</b>	FCM81828 <b>M</b> <b>◆</b> Also available: 81828 <b>O</b> <b>◆</b> S81828 <b>S</b> <b>◆</b>	FCM81208P <b>M</b> Also available: 81208P <b>O</b> S808 <b>S</b> <b>◆</b>	FCM81829 <b>M</b> <b>◆</b> Also available: 81208 <b>O</b> <b>◆</b> S81208 <b>S</b> <b>◆</b>

							
FC1208SL <b>O</b> Also available: S1208SL <b>◆</b> <b>S</b>	FCM1200SL <b>M</b> <b>◆</b> Also available: FC1200SL <b>O</b> <b>◆</b> S1200SL <b>S</b> <b>◆</b> <b>E</b>	FC18SL <b>O</b> Also available: S308SL <b>S</b> <b>◆</b>	FCM12102SL <b>M</b> <b>◆</b> Also available: 12102SL <b>O</b> <b>◆</b> S1170SL <b>S</b> <b>◆</b> <b>E</b>	FCM81208PSL <b>M</b> Also available: 81208PSL <b>O</b> S808SL <b>S</b> <b>◆</b>	FCM81208SL <b>M</b> <b>◆</b> Also available: 81208SL <b>O</b> <b>◆</b> S81186SL <b>S</b> <b>◆</b> <b>E</b>	FCM198 <b>M</b> Also available: FC198 <b>O</b> <b>E</b> S198 <b>S</b> <b>◆</b> <b>E</b>	FCM1289 <b>M</b> <b>◆</b> <b>E</b> Also available: 1289 <b>O</b> <b>◆</b> <b>E</b> S6062 <b>S</b> <b>◆</b> <b>E</b>

## Clear Glass

							
FCM10 <b>M</b> <b>◆</b> Also available: FC10 <b>O</b> <b>◆</b> S118 <b>S</b> <b>◆</b> <b>E</b>	FCM870 <b>M</b> <b>◆</b> Also available: 81200P <b>O</b> <b>◆</b> S818 <b>S</b> <b>◆</b>	FCM1283 <b>M</b> <b>◆</b> <b>E</b> Also available: 1283 <b>O</b> <b>◆</b> <b>E</b> S140 <b>S</b> <b>◆</b> <b>E</b>	FCM81200 <b>M</b> <b>◆</b> Also available: 81200 <b>O</b> <b>◆</b> S8140 <b>S</b> <b>◆</b>	FC47SL <b>O</b> Also available: S100SL <b>S</b>	FCM870SL <b>M</b> Also available: 81200PSL <b>O</b> S8601SL <b>S</b>	FCM12101SL <b>M</b> <b>◆</b> Also available: 12101SL <b>O</b> <b>◆</b> S601SL <b>S</b> <b>◆</b>	FCM81200SL <b>M</b> <b>◆</b> Also available: 81200SL <b>O</b> <b>◆</b> S81086SL <b>S</b> <b>◆</b>

### Available Door Selections

- M** Fiber-Classic Mahogany
- O** Fiber-Classic Oak
- S** Smooth-Star

### Key

- ◆** No Stile Lines
- ◆** Black Nickel Caming (1D)
- ◆** Brushed Nickel Caming (1C)
- ◆** Brass Caming (1A)

- X** Wrought Iron (1W)
- E** Elevated 10" Bottom Rail Options
- 6** WBDR Option
- 6** WBDR / HVHZ Option

### Privacy & Textured Glass Options

- XK** = Reeded
- XG** = Geometric
- XE** = Satin Etch
- XC** = Chord
- XJ** = Chinchilla
- XR** = Rainglass
- XN** = Granite

Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 3 with available sizes. Please verify that there is a Thermo-Tru product approval specific to your area for the door system configuration before buying.

# 3/4 Lites

## Blackstone™ ◆◆



FCM765 **M**  
Also available:  
FC765 **O**



S975 **S**



FC770 **O**  
Also available:  
S979 **S**



81952P **O**  
Also available:  
S894 **S**



FCM765SL **M**  
Also available:  
FC765SL **O**  
S975SL **S**



FCM882SL **M**  
Also available:  
81952PSL **O**  
S894SL **S**

## Crystalline™ ◆◆



FCM38SL **M**  
Also available:  
FC38SL **O**  
S758SL **S**



FCM8105SL **M**  
Also available:  
81953PSL **O**  
S888SL **S**

## Salinas® ✕



FCM115 **M**  
Also available:  
FC115 **O**



S6009 **S**



FC775 **O**  
Also available:  
S6010 **S**



81955P **O**  
Also available:  
S895 **S**



FCM115SL **M**  
Also available:  
FC115SL **O**  
S6009SL **S**



FCM884SL **M**  
Also available:  
81955PSL **O**  
S895SL **S**

## Maple Park® ◆◆



FCM902SL **M**  
Also available:  
FC902SL **O**  
S6102SL **S**



FCM887SL **M**  
Also available:  
81957PSL **O**  
S85898SL **S**

## Avonlea® ◆



FCM764 **M**  
Also available:  
FC764 **O**



S976 **S**



FC769 **O**  
Also available:  
S980 **S**



81967P **O**  
Also available:  
S85900 **S**



FCM764SL **M**  
Also available:  
FC764SL **O**  
S976SL **S**



FCM8104SL **M**  
Also available:  
81967PSL **O**  
S85900SL **S**

## Saratoga™ ◆◆



FCM907 **M**  
Also available:  
FC907 **O**



S6092 **S**



FC776 **O**  
Also available:  
S982 **S**

### Available Door Selections

- M** Fiber-Classic Mahogany
- O** Fiber-Classic Oak
- S** Smooth-Star

### Key

- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ✕ Wrought Iron (1W)



WBDR Option



WBDR / HVHZ Option

Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 3 with available sizes. Please verify that there is a Thermo-Tru product approval specific to your area for the door system configuration before buying.



# 3/4 Lites

## Saratoga™ ◆◆ continued



81956P **Q**  
Also available:  
S891 **S**



FCM907SL **M**  
Also available:  
FC907SL **Q**  
S6092SL **S**



FCM889SL **M**  
Also available:  
81956PSL **Q**  
S891SL **S**


## Texas Star ◆◆



FCM143 **M**  
Also available:  
FC143 **Q**



S6071 **S**



FC778 **Q**  
Also available:  
S6072 **S**



81958P **Q**  
Also available:  
S85901 **S**



FCM143SL **M**  
Also available:  
FC143SL **Q**  
S6071SL **S**



FCM8103SL **M**  
Also available:  
81958PSL **Q**  
85901SL **S**

## Wellesley™ ◆◆◆




FCM147 **M**  
Also available:  
FC147 **Q**



S6091 **S**



FC779 **Q**  
Also available:  
S983 **S**



81959P **Q**  
Also available:  
S892 **S**



FCM147SL **M**  
Also available:  
FC147SL **Q**  
S6091SL **S**



FCM885SL **M**  
Also available:  
81959PSL **Q**  
S892SL **S**

## Riserva® ✕



FCM543 **M**  
Also available:  
FC543 **Q**



S543 **S**



FC529 **Q**  
Also available:  
S529 **S**

## Concorde™ ◆◆◆



FC8529 **Q**  
Also available:  
S8529 **S**



FCM545SL **M**  
Also available:  
FC545SL **Q**  
S545SL **S**



FCM8545SL **M**  
Also available:  
FC8545SL **Q**  
S8545SL **S**



FCM912 **M**  
Also available:  
FC912 **Q**



S912 **S**



FC780 **Q**  
Also available:  
S97 **S**



81960P **Q**  
Also available:  
S85902 **S**



FCM912SL **M**  
Also available:  
FC912SL **Q**  
S757SL **S**



FCM892SL **M**  
Also available:  
81960PSL **Q**  
S85902SL **S**

### Available Door Selections

- M** Fiber-Classic Mahogany
- Q** Fiber-Classic Oak
- S** Smooth-Star

### Key

- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ✕ Wrought Iron (1W)



WBDR Option




WBDR / HVHZ Option

Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 3 with available sizes. Please verify that there is a Thermo-Tru product approval specific to your area for the door system configuration before buying.

# 3/4 Lites *Continued*


## Kensington™ ◆◆



FCM156 **M**  
Also available:  
FC156 **Q**



S156 **S**



FC20042 **Q**  
Also available:  
S20042 **S**



81961P **Q**  
Also available:  
S902 **S**



FCM1442SL **M**  
Also available:  
FC1442SL **Q**  
S1442SL **S**



FCM8107SL **M**  
Also available:  
81961PSL **Q**  
S902SL **S**

## Pembridge™ ◆◆



FCM6582 **M**  
Also available:  
FC6582 **Q**



S6582 **S**



FC6580 **Q**  
Also available:  
S6580 **S**

## Axis® ◆




FC86580 **Q**  
Also available:  
S86580 **S**



FCM6580SL **M**  
Also available:  
FC6580SL **Q**  
S6580SL **S**




FCM86580SL **M**  
Also available:  
FC86580SL **Q**  
S86580SL **S**




FCM1647 **M**  
Also available:  
FC1647 **Q**



S1647 **S**



FC1646 **Q**  
Also available:  
S1646 **S**



FC81646 **Q**  
Also available:  
S81646 **S**



FCM1646SL **M**  
Also available:  
FC1646SL **Q**  
S1646SL **S**




FCM81646SL **M**  
Also available:  
FC81646SL **Q**  
S81646SL **S**

## Frosted Images®



FCM8109SL **M**  
Also available:  
81963PSL **Q**  
S884SL **S**

## Privacy & Textured Glass



FCM32 **M**  
Also available:  
FC32 **Q**



S80 **S**



FC766 **Q**  
Also available:  
S90 **S**



81943P **Q**  
Also available:  
S880 **S**



FCM32\_SL **M**  
Also available:  
FC32\_SL **Q**  
S751\_SL **S**



FCM881\_SL **M**  
Also available:  
81943P\_SL **Q**  
S880\_SL **S**

### Available Door Selections

- M** Fiber-Classic Mahogany
- Q** Fiber-Classic Oak
- S** Smooth-Star

### Key

- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ◆◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)



WBDR Option



WBDR / HVHZ Option

### Privacy & Textured Glass Options

- XK = Reeded
- XG = Geometric
- XE = Satin Etch
- XC = Chord
- XJ = Chinchilla
- XR = Rainglass
- XN = Granite

Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 3 with available sizes. Please verify that there is a Thermo-Tru product approval specific to your area for the door system configuration before buying.

# 3/4 Lites *Continued*

## Internal Blinds



FCM5425 **M**  
Also available:  
FC5425 **O**



S5425 **S**



1964P **O**  
Also available:  
S682 **S**



81964P **O**  
Also available:  
S8682 **S**



FCM5425SL **M**  
Also available:  
FC5425SL **O**  
S5425SL **S**



FCM8110SL **M**  
Also available:  
81964PSL **O**  
S8682SL **S**

## Clear Glass with Divided Lites



FCM2107 **M**  
Also available:  
FC2107 **O**



S2107 **S** ⚡



FCM82 **M**  
Also available:  
FC82 **O**



S82 **S** ⚡



FC2101 **O**  
Also available:  
S2101 **S** ⚡



81945P **O**  
Also available:  
S881 **S** ⚡



FC92 **O**  
Also available:  
S92 **S** ⚡



FC8310 **O**  
Also available:  
S8310 **S** ⚡



81946P **O**  
Also available:  
S882 **S** ⚡



FCM2101SL **M**  
Also available:  
FC2101SL **O**  
S2101SL **S** ⚡



FCM8310SL **M**  
Also available:  
FC8310SL **O**  
S8310SL **S** ⚡




FCM92SL **M**  
Also available:  
FC92SL **O**  
S82SL **S** ⚡



FCM8101SL **M**  
Also available:  
81946PSL **O**  
S881SL **S** ⚡

## Clear Glass



81944P **O**  
Also available:  
S898 **S** ⚡



FCM32 **M**  
Also available:  
FC32 **O**



S80 **S**



FC766 **O**  
Also available:  
S90 **S**



81943P **O** 🐢  
Also available:  
S880 **S** 🐢



FCM32SL **M**  
Also available:  
FC32SL **O**  
S751SL **S**



FCM881SL **M**  
Also available:  
81943PSL **O**  
S880SL **S**

### Available Door Selections

- M** Fiber-Classic Mahogany
- O** Fiber-Classic Oak
- S** Smooth-Star

### Key

- ◆ Black Nickel Caming (1D)
- 🐢 Turtle Glass
- ⚡ Flat Black Grilles between Glass (GBGF)



WBDR Option




WBDR / HVHZ Option

Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 3 with available sizes. Please verify that there is a Thermo-Tru product approval specific to your area for the door system configuration before buying.

# 1/2 Lites

## Blackstone. ◆◆



**FCM109 M**  
 Also available:  
**FC109 O E**  
**S6000 S E**

**FCM863 M**  
 Also available:  
**81933P O**  
**S81933P S**

**FCM6032 M**  
 Also available:  
**S6032 S E**

**S86032 S E**

**FCM6052 M**  
 Also available:  
**S6052 S**

**S972 S**

**81975P O**  
 Also available:  
**S85905 S**

**FCM109SL M**  
 Also available:  
**FC109SL O**  
**S6000SL S**

**FCM863SL M**  
 Also available:  
**81933PSL O**  
**S85912SL S**

## Crystalline. ◆◆



**FCM45 M**  
 Also available:  
**FC45 O E**  
**S926 S E**

**FCM898 M**  
 Also available:  
**81935P O**  
**S81935P S**

**FCM6027 M**  
 Also available:  
**S6027 S E**

**S86027 S E**

**FCM6047 M**  
 Also available:  
**S6047 S**

**S38 S**

**81977P O**  
 Also available:  
**S85907 S**

**FCM45SL M**  
 Also available:  
**FC43SL O**  
**S930SL S**

**FCM898SL M**  
 Also available:  
**81935PSL O**  
**S85914SL S**

## Salinas. X



**FCM114 M**  
 Also available:  
**FC114 O E**  
**S6006 S E**

**FCM865 M**  
 Also available:  
**81937P O**  
**S81937P S**

**FCM6031 M**  
 Also available:  
**S6031 S E**

**S86031 S E**

**FCM6051 M**  
 Also available:  
**S6051 S**

**S973 S**

**81980P O**  
 Also available:  
**S893 S**

**FCM114SL M**  
 Also available:  
**FC114SL O**  
**S6006SL S**

**FCM865SL M**  
 Also available:  
**81937PSL O**  
**S85916SL S**

### Available Door Selections

- M** Fiber-Classic Mahogany
- O** Fiber-Classic Oak
- S** Smooth-Star

### Key

- ◆** Black Nickel Caming (1D)
- ◆◆** Brushed Nickel Caming (1C)
- X** Wrought Iron (1W)
- E** Elevated 10" Bottom Rail Options
- 6** WBDR Option
- 6** WBDR / HVHZ Option

Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 3 with available sizes. Please verify that there is a Thermo-Tru product approval specific to your area for the door system configuration before buying.

# 1/2 Lites

## Maple Park. ◆◆



FCM901 **M**  
Also available:  
FC901 **O E**  
S6101 **S E**




FCM886 **M**  
Also available:  
81939P **O**  
S81939P **S**




FCM6107 **M**  
Also available:  
S6107 **S E**




S86107 **S E**




FCM6108 **M**  
Also available:  
S6108 **S**



S6106 **S**



81982P **O**  
Also available:  
S85897 **S**



FCM901SL **M**  
Also available:  
FC901SL **O**  
S6101SL **S**



FCM886SL **M**  
Also available:  
81939PSL **O**  
S85918SL **S**


## Avonlea. ◆



FCM761 **M**  
Also available:  
FC761 **O E**  
S964 **S E**




FCM896 **M**  
Also available:  
81932P **O**  
S81932P **S**



FCM968 **M**  
Also available:  
S968 **S E**



S8968 **S E**




FCM966 **M**  
Also available:  
S966 **S**



S970 **S**



81974P **O**  
Also available:  
S85906 **S**



FCM761SL **M**  
Also available:  
FC761SL **O**  
S964SL **S**



FCM896SL **M**  
Also available:  
81932PSL **O**  
S85911SL **S**

## Saratoga™ ◆◆



FCM906 **M**  
Also available:  
FC906 **O E**  
S213 **S E**




FCM888 **M**  
Also available:  
81938P **O**  
S81938P **S**



FCM6029 **M**  
Also available:  
S6029 **S E**




S86029 **S E**



FCM6049 **M**  
Also available:  
S6049 **S**



S41 **S**



81981P **O**  
Also available:  
S85908 **S**



FCM906SL **M**  
Also available:  
FC906SL **O**  
S291SL **S**



FCM888SL **M**  
Also available:  
81938PSL **O**  
S85917SL **S**

### Available Door Selections

- M** Fiber-Classic Mahogany
- O** Fiber-Classic Oak
- S** Smooth-Star

### Key

- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ✕ Wrought Iron (1W)

### E Elevated 10" Bottom Rail Options

- 6 WBDR Option
- 6 WBDR / HVHZ Option

Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 3 with available sizes. Please verify that there is a Thermo-Tru product approval specific to your area for the door system configuration before buying.

# 1/2 Lites *Continued*

## Texas Star ◆◆



FCM144 **M**  
Also available:  
FC144 **Q E**  
S6073 **S E**

FCM899 **M**  
Also available:  
81940P **Q**  
S81940P **S**

FCM6074 **M**  
Also available:  
S6074 **S E**

S86074 **S E**

FCM6075 **M**  
Also available:  
S6075 **S**

S6076 **S**

81983P **Q**  
Also available:  
S81983 **S**

FCM899SL **M**  
Also available:  
81940PSL **Q**  
85919SL **S**

## Wellesley™ ◆◆◆



FCM105 **M**  
Also available:  
FC105 **Q E**  
S214 **S E**

FCM866 **M**  
Also available:  
81941P **Q**  
S81941P **S**

FCM6030 **M**  
Also available:  
S6030 **S E**

S86030 **S E**

FCM105SL **M**  
Also available:  
FC105SL **Q**  
S292SL **S**

FCM866SL **M**  
Also available:  
81941PSL **Q**  
S85922SL **S**

## Riserva® ✕



FCM581 **M**  
Also available:  
FC581 **Q E**  
S581 **S E**

FCM8581 **M**  
Also available:  
FC8581 **Q**  
S8581 **S**

FCM575 **M**  
Also available:  
S575 **S E**

## Concorde™ ◆◆◆



FCM8583SL **M**  
Also available:  
FC583SL **Q**  
S583SL **S**


FCM8583SL **M**  
Also available:  
FC8583SL **Q**  
S8583SL **S**

S8575 **S E**

FCM577 **M**  
Also available:  
S577 **S**

S579 **S**

FC8579 **Q**  
Also available:  
S8579 **S**



FCM911 **M**  
Also available:  
FC911 **Q E**  
S426 **S E**

FCM911SL **M**  
Also available:  
FC911SL **Q**  
S430SL **S**

### Available Door Selections

- M** Fiber-Classic Mahogany
- Q** Fiber-Classic Oak
- S** Smooth-Star

### Key

- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ◆◆◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)

- E** Elevated 10" Bottom Rail Options
- Ⓞ WBDR Option
- Ⓞ WBDR / HVHZ Option

Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 3 with available sizes. Please verify that there is a Thermo-Tru product approval specific to your area for the door system configuration before buying.

# 1/2 Lites *Continued*

## Concorde™ ◆◆◆ continued



FCM891 **M**  
Also available:  
81942P **O**  
S81942P **S**




FCM891SL **M**  
Also available:  
81942PSL **O**  
S85920SL **S**



S86026 **S E**



FCM6046 **M**  
Also available:  
S6046 **S**



S37 **S**



81985P **O**  
Also available:  
S837 **S**




FCM6026 **M**  
Also available:  
S6026 **S E**


## Kensington™ ◆◆




FCM149 **M**  
Also available:  
FC149 **O E**  
S161 **S E**



FC149SL **O**  
Also available:  
FCM149SL **M**  
S161SL **S**



FCM8149 **M**  
Also available:  
FC8149 **O**  
S8149 **S**



FCM6036 **M**  
Also available:  
S6036 **S E**




S86036 **S E**



FCM6056 **M**  
Also available:  
S6056 **S**



S43 **S**



FC89701 **O**  
Also available:  
S89701 **S**



FC8867SL **O**  
Also available:  
FCM867SL **M**  
S867SL **S**

## Pembridge™ ◆◆



FCM6560 **M**  
Also available:  
FC6560 **O E**  
S6560 **S E**




FCM6565SL **M**  
Also available:  
FC6565SL **O**  
S6565SL **S**



FCM86560 **M**  
Also available:  
FC86560 **O**  
S86560 **S**




FCM86560SL **M**  
Also available:  
FC86560SL **O**  
S86560SL **S**



FCM6565 **M**  
Also available:  
S6565 **S E**



S86565 **S E**



FCM6568 **M**  
Also available:  
S6568 **S**



S6536 **S**



FC86536 **O**  
Also available:  
S86536 **S**

## Axis™ ◆



FCM1654 **M**  
Also available:  
FC1654 **O E**  
S1654 **S E**



FCM81654 **M**  
Also available:  
FC81654 **O**  
S81654 **S**

### Available Door Selections

- M** Fiber-Classic Mahogany
- O** Fiber-Classic Oak
- S** Smooth-Star

### Key

- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ◆◆◆ Brass Caming (1A)
- ✗ Wrought Iron (1W)
- E** Elevated 10" Bottom Rail Options
- 6** WBDR Option
- 6** WBDR / HVHZ Option

Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 3 with available sizes. Please verify that there is a Thermo-Tru product approval specific to your area for the door system configuration before buying.

# 1/2 Lites *Continued*


## Axis *continued*




FCM1656 **M**  
Also available:  
S1656 **S E**




S81656 **S E**



FCM1658 **M**  
Also available:  
S1658 **S**



S1653 **S**



FC81653 **O**  
Also available:  
S81653 **S**



FCM1656SL **M**  
Also available:  
FC1656SL **O**  
S1656SL **S**



FCM81654SL **M**  
Also available:  
FC81654SL **O**  
S81654SL **S**

## Frosted Images




FCM66 **M**  
Also available:  
FC66 **O E**  
S206E **S E**



FCM6023 **M**  
Also available:  
S6023 **S E**

## Privacy & Textured Glass



FCM6043 **M**  
Also available:  
S6043 **S**



S34 **S**



FCM66SL **M**  
Also available:  
FC44SL **O**  
S289ESL **S**



FCM62\_ **M**  
Also available:  
FC62\_ **O E**  
S206\_ **S E**



FCM862\_ **M**  
Also available:  
81929P\_ **O**  
S81929P\_ **S**



FCM6021\_ **M**  
Also available:  
S6021\_ **S E**



S86021\_ **S E**



FCM6041\_ **M**  
Also available:  
S6041\_ **S**



FCM104\_ **M E**  
Also available:  
FC104\_ **O E**  
S104\_ **S E**

## Internal Blinds



S30\_ **S**




81971P\_ **O**  
Also available:  
S830\_ **S**



FCM62\_SL **M**  
Also available:  
FC48\_SL **O**  
S210\_SL **S**




FCM862\_SL **M**  
Also available:  
81929P\_SL **O**  
S85910\_SL **S**



FCM678 **M**  
Also available:  
FC678 **O**  
S132 **S E**



FCM8678 **M**  
Also available:  
FC8678 **O**  
S8132 **S**



FCM6035 **M**  
Also available:  
S6035 **S E**



S86035 **S E**



FCM6055 **M**  
Also available:  
S6055 **S**

### Available Door Selections

- M** Fiber-Classic Mahogany
- O** Fiber-Classic Oak
- S** Smooth-Star

### Key

- ◆** Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆** Brass Caming (1A)

### E Elevated 10" Bottom Rail Options

- 6** WBDR Option
- 6** WBDR / HVHZ Option

### Privacy & Textured Glass Options

- XK** = Reeded
- XG** = Geometric
- XE** = Satin Etch
- XC** = Chord
- XJ** = Chinchilla
- XR** = Rainglass
- XN** = Granite

Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 3 with available sizes. Please verify that there is a Thermo-Tru product approval specific to your area for the door system configuration before buying.




# 1/2 Lites *Continued*


## Internal Blinds *continued*



## Clear Glass with Divided Lites



## Clear Glass



### Available Door Selections

- M Fiber-Classic Mahogany
- Fiber-Classic Oak
- S Smooth-Star

### Key

- No Stile Lines
- E Elevated 10" Bottom Rail Options
- S WBDR Option
- S WBDR / HVHZ Option

- ◆ Flat Black Grilles between Glass (GBGF)

Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 3 with available sizes. Please verify that there is a Thermo-Tru product approval specific to your area for the door system configuration before buying.

# Center Lites

## Blackstone™ ◆◆



FC80943 □  
Also available:  
S9343 S

FC86243 □  
Also available:  
S83143 S

## Crystalline™ ◆◆◆



FC80941 □  
Also available:  
S9341 S

FC86241 □  
Also available:  
S83141 S

## Salinas® X



FC80953 □  
Also available:  
S9353 S

FC86253 □  
Also available:  
S83153 S

## Maple Park® ◆◆◆



FC80955 □  
Also available:  
S9355 S

FC86255 □  
Also available:  
S83155 S

## Avonlea® ◆



FC80956 □  
Also available:  
S9356 S

FC86256 □  
Also available:  
S83156 S

## Saratoga™ ◆◆◆



FC80954 □  
Also available:  
S9354 S

FC86254 □  
Also available:  
S83154 S

## Wellesley™ ◆◆◆◆



FC80949 □  
Also available:  
S9349 S

FC86249 □  
Also available:  
S83149 S

## Riserva® X



FC507 □  
Also available:  
S507 S

FC549 □  
Also available:  
S549 S

## Concorde™ ◆◆◆◆



FC80947 □  
Also available:  
S9347 S

FC86247 □  
Also available:  
S83147 S

### Available Door Selections

- Fiber-Classic Mahogany
- Fiber-Classic Oak
- S Smooth-Star

### Key

- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ◆◆◆ Brass Caming (1A)
- X Wrought Iron (1W)



- 6 WBDR Option
- 6 WBDR / HVHZ Option



Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 3 with available sizes. Please verify that there is a Thermo-Tru product approval specific to your area for the door system configuration before buying.

# Center Lites *Continued*

## Kensington™ ◆◆







FC80942   
Also available:  
S9342 

FC86242   
Also available:  
S83142 

## Pembridge™ ◆◆







FC6534   
Also available:  
S6534 

FC86533   
Also available:  
S86533 

## Axis® ◆







FC1655   
Also available:  
S1655 

FC81649   
Also available:  
S81649 

## Frosted Images®






FC80945   
Also available:  
S9345 

FC86245   
Also available:  
S83145 

## Privacy & Textured Glass







FC80920\_   
Also available:  
S9320\_ 

FC86220\_   
Also available:  
S83120\_ 

## Internal Blinds







FC925   
Also available:  
S925 

FC8972   
Also available:  
S8972 

## Clear Glass with Divided Lites







FC809203   
Also available:  
S93203 

FC862203   
Also available:  
S831203 

## Clear Glass



FC80920   
Also available:  
S9320 

FC86220   
Also available:  
S83120 

### Available Door Selections

-  Fiber-Classic Mahogany
-  Fiber-Classic Oak
-  Smooth-Star

### Key

-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Brass Caming (1A)

-  Flat Black Grilles between Glass (GBGF)
-  WBDR Option
-  WBDR / HVHZ Option


### Privacy & Textured Glass Options

- XK = Reeded
- XG = Geometric
- XE = Satin Etch
- XC = Chord
- XJ = Chinchilla
- XR = Rainglass
- XN = Granite


Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 3 with available sizes. Please verify that there is a Thermo-Tru product approval specific to your area for the door system configuration before buying.

# Craftsman Lites


## Maple Park



## Saratoga



## Riserva




## Pembridge



## Axis



## Privacy & Textured Glass



## Clear Glass




\*Not available with Reeded (XK) and Geometric (XG) glass.  
Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 3 with available sizes. Please verify that there is a Thermo-Tru product approval specific to your area for the door system configuration before buying.

### Available Door Selections

-  Fiber-Classic Mahogany
-  Fiber-Classic Oak
-  Smooth-Star

### Key

-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Brass Caming (1A)
-  Wrought Iron (1W)

-  Elevated 10" Bottom Rail Options
-  WBDP Option
-  WBDP / HVHZ Option

### Privacy & Textured Glass Options

-  Reeded
-  Geometric
-  Satin Etch
-  Chord
-  Chinchilla
-  Rainglass
-  Granite

# Fiber-Classic® and Smooth-Star® Solid Panels



**FCM31** M  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"  
 Also available:  
**FC31** O  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FC809** O  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"  
 Also available:  
**S93** S  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S220** S E  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"  
 Also available:  
**FCM220** M  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S1100** S E  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S120** S E  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S200** S  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S205** S  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"  
 Also available:  
**FCM205** M  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM755** M  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"  
 Also available:  
**FC755** O  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"  
**S755** S  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S31** S  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S4800** S E  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S600** S  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"  
 Also available:  
**FCM600** M  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM134** M  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"  
 Also available:  
**S11** S  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**FCM60** M  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"  
 Also available:  
**FC60** O E  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"  
**S210** S E  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1000** O E  
 2'4" x 6'8"  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

Also available:  
**FCM1000** M E  
 2'4" x 6'8"  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"  
**S100** S E  
 2'4" x 6'8"  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**S8200** S E  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S81100** S  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S8120** S  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S897** S  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S8201** S  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FC862** O  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 Also available:  
**S831** S  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S84800** S  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**S8600** S  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**FCM860** M  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 Also available:  
**FC860** O  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
**S810** S  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



**81000** O E  
 2'0" x 8'0"  
 2'4" x 8'0"  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 Also available:  
**FCM81000** M E  
 2'0" x 8'0"  
 2'4" x 8'0"  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
**S81000** S E  
 2'0" x 8'0"  
 2'4" x 8'0"  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

## Available Door Selections

- M Fiber-Classic Mahogany
- O Fiber-Classic Oak
- S Smooth-Star

## Key


- No Stile Lines
- E Elevated 10" Bottom Rail Options
- 6 WBDR Option
- 6 WBDR / HVHZ Option

Note: Additional structural fiberglass door styles and sizes also available for WBDR only. Please verify that there is a Therma-Tru product approval specific to your area for the configuration you want before buying. ©2021 Therma-Tru Corp. All rights reserved.

Pulse is geometry with energy. Designed to be fun and easy to mix and match with sleek, flush door and sidelite styles, you can create a modern entrance without missing a beat. Explore all the possible combinations at [thermatru.com/pulse](http://thermatru.com/pulse). Mix and match to get the style numbers needed to order. Turn the page for a glimpse of available styles and sizes.

### 1 Start with a STYLE.

Combine doors and sidelites to create an entrance that fits your vision.



### 2 Choose a MATERIAL.

Each style is available in any of these material choices.



Wood-Grained Fiberglass:  
Mahogany or Oak  
(Shown in Driftwood stain.)

Smooth  
Fiberglass

### 3 Select a GLASS.

Find an available glass design to complete the statement you want to make.

#### Privacy & Textured Glass


Available for all Pulse door styles.




Reeded      Geometric      Satin Etch      Chord      Chinchilla      Rainglass      Granite

#### Decorative Glass


Available for Línea.



Available for Ari.



- 1 Blackstone™
- 2 Crystalline™
- 3 Salinas™
- 4 Avonlea™
- 5 Saratoga™
- 6 Riserva™
- 7 Pembridge™
- 8 Axis™




### 4 Frame

Impact Pulse doors are only available in Scrolled Frame.

# Ari


## Saratoga™ ◆◆



FCM2SG **M**  
Also available:  
FC2SG **O**  
S2SG **S**

FCM83SG **M**  
Also available:  
FC83SG **O**  
S83SG **S**


## Riserva® ✕



FCM2RS **M**  
Also available:  
FC2RS **O**  
S2RS **S**

FCM83RS **M**  
Also available:  
FC83RS **O**  
S83RS **S**


## Pembridge™ ◆◆



FCM2PB **M**  
Also available:  
FC2PB **O**  
S2PB **S**

FCM83PB **M**  
Also available:  
FC82PB **O**  
S82PB **S**

## Axis® ◆




FCM2AX **M**  
Also available:  
FC2AX **O**  
S2AX **S**

FCM83AX **M**  
Also available:  
FC83AX **O**  
S83AX **S**

# Línea

## Privacy & Textured Glass



FCM2 **M**  
Also available:  
FC2 **O**  
S2 **S**

FCM83 **M**  
Also available:  
FC83 **O**  
S83 **S**

## Blackstone® ◆◆



FCM1LBS **M**  
Also available:  
FC1LBS **O**  
S1LBS **S**

FCM1BS **M**  
Also available:  
FC1BS **O**  
S1BS **S**

FCM1RBS **M**  
Also available:  
FC1RBS **O**  
S1RBS **S**

FCM81LBS **M**  
Also available:  
FC81LBS **O**  
S18LBS **S**

FCM81BS **M**  
Also available:  
FC81BS **O**  
S81BS **S**

FCM81RBS **M**  
Also available:  
FC81RBS **O**  
S81RBS **S**

## Crystalline™ ◆◆



FCM1LBL **M**  
Also available:  
FC1LBL **O**  
S1LBL **S**

FCM1BL **M**  
Also available:  
FC1BL **O**  
S1BL **S**

FCM1RBL **M**  
Also available:  
FC1RBL **O**  
S1RBL **S**

FCM81LBL **M**  
Also available:  
FC81LBL **O**  
S81LBL **S**

FCM81BL **M**  
Also available:  
FC81BL **O**  
S81BL **S**

FCM81RBL **M**  
Also available:  
FC81RBL **O**  
S81RBL **S**

## Salinas® ✕



FCM1LSA **M**  
Also available:  
FC1LSA **O**  
S1LSA **S**

FCM1SA **M**  
Also available:  
FC1SA **O**  
S1SA **S**

FCM1RSA **M**  
Also available:  
FC1RSA **O**  
S1RSA **S**

### Available Door Selections

- M** Fiber-Classic Mahogany
- O** Fiber-Classic Oak
- S** Smooth-Star

### Key

- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ◆◆ Brass Caming (1A)


- ✕ Wrought Iron (1W)
- 🌀 WBDR Option
- 🌀 WBDR / HVHZ Option

### Privacy & Textured Glass Options

- XK = Reeded
- XG = Geometric
- XE = Satin Etch
- XC = Chord
- XJ = Chinchilla
- XR = Rainglass
- XN = Granite

Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 3 with available sizes. Please verify that there is a Thermo-Tru product approval specific to your area for the door system configuration before buying.

Salinas® X



FCM81LSA **M**  
Also available:  
FC81LSA **O**  
S81LSA **S**

FCM81SA **M**  
Also available:  
FC81SA **O**  
S81SA **S**

FCM81RSA **M**  
Also available:  
FC81RSA **O**  
S81RSA **S**

Avonlea® ◆



FCM1LAV **M**  
Also available:  
FC1LAV **O**  
S1LAV **S**

FCM1AV **M**  
Also available:  
FC1AV **O**  
S1AV **S**

FCM1RAV **M**  
Also available:  
FC1RAV **O**  
S1RAV **S**


Saratoga™ ◆



FCM1LSG **M**  
Also available:  
FC1LSG **O**  
S1LSG **S**

FCM1SG **M**  
Also available:  
FC1SG **O**  
S1SG **S**

FCM1RSG **M**  
Also available:  
FC1RSG **O**  
S1RSG **S**




FCM81LSG **M**  
Also available:  
FC81LSG **O**  
S81LSG **S**

FCM81SG **M**  
Also available:  
FC81SG **O**  
S81SG **S**

FCM81RSG **M**  
Also available:  
FC81RSG **O**  
S81RSG **S**

Riserva® X



FCM1LRS **M**  
Also available:  
FC1LRS **O**  
S1LRS **S**

FCM1RS **M**  
Also available:  
FC1RS **O**  
S1RS **S**

FCM1RRS **M**  
Also available:  
FC1RRS **O**  
S1RRS **S**




FCM81LRS **M**  
Also available:  
FC81LRS **O**  
S81LRS **S**

FCM81RS **M**  
Also available:  
FC81RS **O**  
S81RS **S**

FCM81RRS **M**  
Also available:  
FC81RRS **O**  
S81RRS **S**


Pembridge™ ◆



FCM1LPB **M**  
Also available:  
FC1LPB **O**  
S1LPB **S**

FCM1PB **M**  
Also available:  
FC1PB **O**  
S1PB **S**

FCM1RPB **M**  
Also available:  
FC1RPB **O**  
S1RPB **S**




FCM81LPB **M**  
Also available:  
FC81LPB **O**  
S81LPB **S**

FCM81PB **M**  
Also available:  
FC81PB **O**  
S81PB **S**

FCM81RPB **M**  
Also available:  
FC81RPB **O**  
S81RPB **S**

Axis® ◆



FCM1LAX **M**  
Also available:  
FC1LAX **O**  
S1LAX **S**

FCM1AX **M**  
Also available:  
FC1AX **O**  
S1AX **S**

FCM1RAX **M**  
Also available:  
FC1RAX **O**  
S1RAX **S**

Available Door Selections

- M** Fiber-Classic Mahogany
- O** Fiber-Classic Oak
- S** Smooth-Star

Key


- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)

- WBDR Option
- WBDR / HVHZ Option

Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 3 with available sizes. Please verify that there is a Thermo-Tru product approval specific to your area for the door system configuration before buying.



Axis ♦



FCM81LAX M  
Also available:  
FC81LAX O  
S81LAX S



FCM81AX M  
Also available:  
FC81AX O  
S81AX S



FCM81RAX M  
Also available:  
FC81RAX O  
S81RAX S

Privacy & Textured Glass



FCM1L M  
Also available:  
FC1L O  
S1L S



FCM1 M  
Also available:  
FC1 O  
S1 S



FCM1R M  
Also available:  
FC1R O  
S1R S



FCM81L M  
Also available:  
FC81L O  
S81L S



FCM81 M  
Also available:  
FC81 O  
S81 S



FCM81R M  
Also available:  
FC81R O  
S81R S

Sidelites

Blackstone ♦ ::



FCM808SL M ■  
Also available:  
FC808SL O ■  
S4570SL S ■



FCM81918SL M ■  
Also available:  
81918SL O ■  
S85927SL S ■

Crystalline™ ♦ ::



FCM18101SL M ■  
Also available:  
18101SL O ■  
S6130SL S ■



FCM81800SL M ■  
Also available:  
81800SL O ■  
S84586SL S ■

Salinas ✕



FCM814SL M ■  
Also available:  
FC814SL O ■  
S6134SL S ■



FCM81919SL M ■  
Also available:  
81919SL O ■  
S85931SL S ■

Avonlea ♦



FCM807SL M  
Also available:  
FC807SL O  
S6127SL S

Saratoga™ ♦ ::




FCM815SL M ■  
Also available:  
FC815SL O ■  
S602SL S ■



FCM81986SL M ■  
Also available:  
81986SL O ■  
S85932SL S ■

Riserva ✕



FCM572SL M ■  
Also available:  
FC572SL O ■  
S572SL S ■



FCM8572SL M ■  
Also available:  
FC8572SL O ■  
S8572SL S ■

Pembridge™ ♦ ::



FCM6500SL M ■  
Also available:  
FC6500SL O ■  
S6500SL S ■



FCM86500SL M ■  
Also available:  
FC86500SL O ■  
S86500SL S ■

Axis ♦



FCM1651SL M ■  
Also available:  
FC1651SL O ■  
S1651SL S ■



FCM81651SL M ■  
Also available:  
FC81651SL O ■  
S81651SL S ■

Privacy & Textured Glass



FCM12101\_SL M ■  
Also available:  
12101\_SL O ■  
S601\_SL S ■



FCM81200\_SL M ■  
Also available:  
81200\_SL O ■  
S81086\_SL S ■

Available Door Selections

- M Fiber-Classic Mahogany
- O Fiber-Classic Oak
- S Smooth-Star

Key

- ♦ Black Nickel Caming (1D)
- ⦿ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)

- No Stile Lines
- 6 WBDR Option
- 6 WBDR / HVHZ Option

Privacy & Textured Glass Options

- XK = Reeded
- XG = Geometric
- XE = Satin Etch
- XC = Chord
- XJ = Chinchilla
- XR = Rainglass
- XN = Granite

Note: For HVHZ options, you must specify Impact laminated glass, shown here with available sizes, and Impact steel-plate reinforced fiberglass door, shown on page 3 with available sizes. Please verify that there is a Thermo-Tru product approval specific to your area for the door system configuration before buying.